



陶瓷刀片



车削	A1
轧辊车削	A29
槽加工	A35
铣削	A43
修光刃刀片	A51
非标	A55

车削刀片
Turning Inserts



CNGA



牌 号		尺寸 (mm)																							
ISO	ASA	d	t	r	D	DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
CNGA 120404	CNGA 431	12.70	4.76	0.4	5.16	●	●	●	●	●			●					●		●					
CNGA 120408	CNGA 432	12.70	4.76	0.8	5.16	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●			
CNGA 120412	CNGA 433	12.70	4.76	1.2	5.16	●	●			●	●		●	●	●	●	●	●	●	●	●	●			
CNGA 120416	CNGA 434	12.70	4.76	1.6	5.16	●	●			●			●	●	●		●	●	●	●	●	●			
CNGA 120704	CNGA 451	12.70	7.94	0.4	5.16																				
CNGA 120708	CNGA 452	12.70	7.94	0.8	5.16	●	●				●		●	●											
CNGA 120712	CNGA 453	12.70	7.94	1.2	5.16	●	●	●			●		●	●				●		●	●	●			
CNGA 120716	CNGA 454	12.70	7.94	1.6	5.16	●					●		●	●				●		●					
CNGA 160608	CNGA 542	15.87	6.35	0.8	6.35								●												
CNGA 160612	CNGA 543	15.87	6.35	1.2	6.35								●	●	●							●	●		
CNGA 160616	CNGA 544	15.87	6.35	1.6	6.35	●									●										
CNGA 160708	CNGA 552	15.87	7.94	0.8	6.35	●	●																		
CNGA 160712	CNGA 553	15.87	7.94	1.2	6.35	●	●							●											
CNGA 160716	CNGA 554	15.87	7.94	1.6	6.35									●											
CNGA 190608	CNGA 642	19.05	6.35	0.8	7.93	●							●	●				●		●		●	●		
CNGA 190612	CNGA 643	19.05	6.35	1.2	7.93								●												
CNGA 190616	CNGA 644	19.05	6.35	1.6	7.93	●	●																		
CNGA 190712	CNGA 653	19.05	7.94	1.2	7.93																				
CNGA 190716	CNGA 654	19.05	7.94	1.6	7.93	●																			

车削刀片
Turning Inserts



CNMA



牌 号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r	D									●	●										
CNMA 120408	CNMA 432	12.70	4.76	0.8	5.16									●	●										
CNMA 120412	CNMA 433	12.70	4.76	1.2	5.16									●	●	●	●	●		●					
CNMA 120416	CNMA 434	12.70	4.76	1.6	5.16									●	●	●	●	●		●					
CNMA 160612	CNMA 543	15.87	6.35	1.2	6.35										●		●								
CNMA 160616	CNMA 544	15.87	6.35	1.6	6.35										●		●								

车削刀片
Turning Inserts



CNGN



牌号		尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r																				
CNGN 090304	CNGN 321	9.52	3.18	0.4		●																		
CNGN 090308	CNGN 322	9.52	3.18	0.8			●																	
CNGN 090312	CNGN 323	9.52	3.18	1.2																				
CNGN 120304	CNGN 421	12.70	3.18	0.4	●																			
CNGN 120308	CNGN 422	12.70	3.18	0.8	●																			
CNGN 120312	CNGN 423	12.70	3.18	1.2	●																			
CNGN 120404	CNGN 431	12.70	4.76	0.4	●	●			●	●														
CNGN 120408	CNGN 432	12.70	4.76	0.8	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
CNGN 120412	CNGN 433	12.70	4.76	1.2	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
CNGN 120416	CNGN 434	12.70	4.76	1.6	●	●	●		●			●	●	●	●	●	●	●	●	●	●	●	●	●
CNGN 120704	CNGN 451	12.70	7.94	0.4																	●	●		
CNGN 120708	CNGN 452	12.70	7.94	0.8								●	●				●		●					
CNGN 120712	CNGN 453	12.70	7.94	1.2	●	●			●	●		●	●	●	●	●	●	●	●	●	●	●	●	●
CNGN 120716	CNGN 454	12.70	7.94	1.6	●	●			●	●		●	●	●	●	●	●	●	●	●	●	●	●	●
CNGN 160608	CNGN 542	15.87	6.35	0.8																				
CNGN 160612	CNGN 543	15.87	6.35	1.2	●									●							●	●		
CNGN 160616	CNGN 544	15.87	6.35	1.6	●																			
CNGN 160708	CNGN 552	15.87	7.94	0.8	●					●														
CNGN 160712	CNGN 553	15.87	7.94	1.2	●	●	●					●	●	●	●	●								
CNGN 160716	CNGN 554	15.87	7.94	1.6	●	●	●		●		●	●	●	●	●	●								
CNGN 160720	CNGN 555	15.87	7.94	2.0	●							●	●											
CNGN 190612	CNGN 643	19.05	6.35	1.2	●	●																		
CNGN 190616	CNGN 644	19.05	6.35	1.6	●	●																		
CNGN 190712	CNGN 653	19.05	7.94	1.2	●	●																		
CNGN 190716	CNGN 654	19.05	7.94	1.6	●	●																		
CNGN 190720	CNGN 655	19.05	7.94	2.0	●																			
CNGN 250724	CNGN 856	25.40	7.94	2.4	●																			
CNGN 250924	CNGN 866	25.40	9.52	2.4	●	●	●					●												

车削刀片
Turning Inserts



CNMN



牌号		尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r																				
CNMN 120412	CNMN 433	12.70	4.76	1.2												●		●	●					
CNMN 120416	CNMN 434	12.70	4.76	1.6												●		●	●					

车削刀片
Turning Inserts


CCGW



牌号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO		d	t	r	D																				
CCGW 09T304		9.52	3.97	0.4	4.40																				
CCGW 09T308		9.52	3.97	0.8	4.40																				
CCGW 09T312		9.52	3.97	1.2	4.40																				
CCGW 120408		12.70	4.76	0.8	5.50																				
CCGW 120412		12.70	4.76	1.2	5.50																				

车削刀片
Turning Inserts



CPGN



牌 号		尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r																				
CPGN 090304	CPGN 321	9.52	3.18	0.4																	●	●		
CPGN 090308	CPGN 322	9.52	3.18	0.8																	●	●		
CPGN 120408	CPGN 432	12.70	4.76	0.8	●																●	●		
CPGN 120412	CPGN 433	12.70	4.76	1.2																				
CPGN 120416	CPGN 434	12.70	4.76	1.6																				


车削刀片 Turning Inserts

DNGA



牌 号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r	D																				
DNGA 150404	DNGA 431	12.70	4.76	0.4	5.16	●	●		●					●	●	●						●	●		
DNGA 150408	DNGA 432	12.70	4.76	0.8	5.16	●	●	●	●				●	●	●							●	●		
DNGA 150412	DNGA 433	12.70	4.76	1.2	5.16	●	●	●	●					●	●	●		●		●	●	●	●		
DNGA 150416	DNGA 434	12.70	4.76	1.6	5.16	●							●								●	●			
DNGA 150604	DNGA 441	12.70	6.35	0.4	5.16	●	●	●	●	●		●													
DNGA 150608	DNGA 442	12.70	6.35	0.8	5.16	●	●	●	●	●			●		●										
DNGA 150612	DNGA 443	12.70	6.35	1.2	5.16	●	●	●	●				●	●	●	●		●		●		●	●		
DNGA 150616	DNGA 444	12.70	6.35	1.6	5.16	●	●	●																	
DNGA 150704	DNGA 451	12.70	7.94	0.4	5.16	●	●																		
DNGA 150708	DNGA 452	12.70	7.94	0.8	5.16	●	●					●	●	●	●										
DNGA 150712	DNGA 453	12.70	7.94	1.2	5.16	●	●					●		●	●	●		●		●		●	●		
DNGA 150716	DNGA 454	12.70	7.94	1.6	5.16																				
DNGA 190608	DNGA 542	15.87	6.35	0.8	6.35	●	●																		
DNGA 190612	DNGA 543	15.87	6.35	1.2	6.35	●	●	●				●	●		●			●		●					
DNGA 190616	DNGA 544	15.87	6.35	1.6	6.35	●																			


DNMA



牌 号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r	D																				
DNMA 150612	DNMA 443	12.70	6.35	1.2	5.16									●	●										
DNMA 150616	DNMA 444	12.70	6.35	1.6	5.16										●										

车削刀片 Turning Inserts



DNGN



牌 号		尺寸 (mm)																						
ISO	ASA	d	t	r	DT100	DT300	DT500	DT900	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW	
DNGN 150404	DNGN 431	12.70	4.76	0.4																				
DNGN 150408	DNGN 432	12.70	4.76	0.8	●								●							●	●			
DNGN 150412	DNGN 433	12.70	4.76	1.2																●	●			
DNGN 150416	DNGN 434	12.70	4.76	1.6																●	●			
DNGN 150604	DNGN 441	12.70	6.35	0.4																				
DNGN 150608	DNGN 442	12.70	6.35	0.8	●			●					●			●		●						
DNGN 150612	DNGN 443	12.70	6.35	1.2	●	●		●					●			●		●		●				
DNGN 150616	DNGN 444	12.70	6.35	1.6				●																
DNGN 150704	DNGN 451	12.70	7.94	0.4	●	●																		
DNGN 150708	DNGN 452	12.70	7.94	0.8	●	●	●	●				●	●	●	●		●		●					
DNGN 150712	DNGN 453	12.70	7.94	1.2	●	●	●	●				●	●	●	●		●		●					
DNGN 150716	DNGN 454	12.70	7.94	1.6	●	●						●	●	●	●		●		●					



车削刀片 Turning Inserts

DNGX




牌号		尺寸 (mm)			DT100	DT300	DT500	DT900	DZ200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r																			
DNGX 120708	DNGX 352	10.00	7.94	0.8																			
DNGX 120712	DNGX 353	10.00	7.94	1.2																			
DNGX 120716	DNGX 354	10.00	7.94	1.6																			
DNGX 150708	DNGX 452	12.70	7.94	0.8																			
DNGX 150712	DNGX 453	12.70	7.94	1.2																			
DNGX 150716	DNGX 454	12.70	7.94	1.6																			

DNMX



牌号		尺寸 (mm)			DT100	DT300	DT500	DT900	DZ200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r																			
DNMX 120708	DNMX 352	10.00	7.94	0.8																			
DNMX 120712	DNMX 353	10.00	7.94	1.2																			
DNMX 120716	DNMX 354	10.00	7.94	1.6																			


DCGX



牌号		尺寸 (mm)			DT100	DT300	DT500	DT900	DZ200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r																			
DCGX 150612	DCGX 443	12.70	6.35	1.2																			
DCGX 150616	DCGX 444	12.70	6.35	1.6																			

车削刀片 Turning Inserts



ENGN



牌号		尺寸 (mm)			DT100	DT300	DT500	DT900	DZ200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r																			
ENGN 130404	ENGN 431	12.70	4.76	0.4																			
ENGN 130408	ENGN 432	12.70	4.76	0.8																			
ENGN 130412	ENGN 433	12.70	4.76	1.2																			
ENGN 130704	ENGN 451	12.70	7.94	0.4																			
ENGN 130708	ENGN 452	12.70	7.94	0.8																			
ENGN 130712	ENGN 453	12.70	7.94	1.2																			
ENGN 130716	ENGN 454	12.70	7.94	1.6																			


车削刀片 Turning Inserts

RNGA



牌号		尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	D																				
RNGA 120400	RNGA 430	12.70	4.76	5.16	●	●																		
RNGA 120700	RNGA 450	12.70	7.94	5.16	●	●															●	●		



RNGN



牌号		尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t																					
RNGN 060300	RNGN 220	6.35	3.18			●																		
RNGN 060400	RNGN 230	6.35	4.76		●		●																	
RNGN 090300	RNGN 320	9.52	3.18		●		●						●	●										
RNGN 090400	RNGN 330	9.52	4.76		●	●	●		●				●				●		●	●	●			
RNGN 120300	RNGN 420	12.70	3.18										●				●		●					
RNGN 120400	RNGN 430	12.70	4.76		●	●	●		●	●			●	●	●	●	●		●	●	●			
RNGN 120600	RNGN 440	12.70	6.35										●				●		●	●	●			
RNGN 120700	RNGN 450	12.70	7.94		●	●	●		●	●	●	●	●	●			●		●	●	●			
RNGN 150700	RNGN 550	15.87	7.94		●								●	●					●					
RNGN 190600	RNGN 640	19.05	6.35			●							●				●		●					
RNGN 190700	RNGN 650	19.05	7.94		●	●	●		●				●				●		●	●	●			
RNGN 250700	RNGN 850	25.40	7.94		●		●	●		●	●	●	●											
RNGN 250900	RNGN 860	25.40	9.52																					
RNGN 320900	RNGN 106	31.75	9.52		●																			
RNGN 0807MO		8.00	7.94		●																			
RNGN 1007MO		10.00	7.94		●																			
RNGN 1207MO		12.00	7.94		●																			

车削刀片 Turning Inserts

RPGA



牌号		尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	D																				
RPGA 120400	RPGA 430	12.70	4.76	5.16	●																			
RPGA 120700	RPGA 450	12.70	7.94	5.16	●																			

RPGN



牌号		尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t																					
RPGN 090300	RPGN 320	9.52	3.18		●	●											●	●						
RPGN 090400	RPGN 330	9.52	4.76		●	●	●																	
RPGN 120300	RPGN 420	12.70	3.18																					
RPGN 120400	RPGN 430	12.70	4.76		●	●								●			●		●	●	●			
RPGN 120700	RPGN 450	12.70	7.94		●	●											●		●					
RPGN 150700	RPGN 550	15.87	7.94																					
RPGN 190700	RPGN 650	19.05	7.94		●																			

车削刀片 Turning Inserts

RPGX .. DP



牌号		尺寸 (mm)		DT100	DT300	DT500	DT900	DD200	DD300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t																			
RPGX 1204 DP	RPGX 43 DP	12.70	4.76																			
RPGX 1207 DP	RPGX 45 DP	12.70	7.94																			

RNGX .. DP



牌号		尺寸 (mm)		DT100	DT300	DT500	DT900	DD200	DD300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t																			
RNGX 1207 DP	RNGX 45 DP	12.70	7.94																			

车削刀片 Turning Inserts

RBGN



牌号		尺寸 (mm)		DT100	DT300	DT500	DT900	DD200	DD300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t																			
RBGN 060300	RBGN 220	6.35	3.18																			
RBGN 060400	RBGN 230	6.35	4.76																			
RBGN 090300	RBGN 320	9.52	3.18																			
RBGN 090400	RBGN 330	9.52	4.76																			
RBGN 120400	RBGN 430	12.70	4.76																			
RBGN 120600	RBGN 440	12.70	6.35																			
RBGN 120700	RBGN 450	12.70	7.94																			
RBGN 0604MO		6.00	4.76																			
RBGN 0804MO		8.00	4.76																			
RBGN 1007MO		10.00	7.94																			
RBGN 1207MO		12.00	7.94																			
RBGN 1607MO		16.00	7.94																			



RCGN



牌 号		尺寸 (mm)		DT100	DT300	DT500	DT900	DD200	DD300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN
ISO	d	t																			
RCGN 060400	6.35	4.76	●	●											●		●				
RCGN 060600	6.35	6.35	●	●	●					●					●		●				
RCGN 060700	6.35	7.94	●	●	●			●							●		●				
RCGN 070400	7.94	4.76			●																
RCGN 090700	9.52	7.94	●	●	●					●					●		●				
RCGN 120700	12.70	7.94	●	●	●			●		●							●				
RCGN 151000	15.87	10.00	●	●	●			●		●							●				
RCGN 191000	19.05	10.00	●	●	●			●		●					●		●				
RCGN 251200	25.40	12.70	●	●	●			●		●					●		●				



车削刀片 Turning Inserts

SNGA



牌号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r	D																			
SNGA 090304	SNGA 321	9.52	3.18	0.4	3.81	●	●																	
SNGA 090308	SNGA 322	9.52	3.18	0.8	3.81	●	●																	
SNGA 090312	SNGA 323	9.52	3.18	1.2	3.81	●	●																	
SNGA 090404	SNGA 331	9.52	4.76	0.4	3.81																			
SNGA 090408	SNGA 332	9.52	4.76	0.8	3.81																			
SNGA 090412	SNGA 333	9.52	4.76	1.2	3.81																			
SNGA 090416	SNGA 334	9.52	4.76	1.6	3.81																			
SNGA 120404	SNGA 431	12.70	4.76	0.4	5.16	●	●	●		●		●		●	●	●	●	●	●	●	●			
SNGA 120408	SNGA 432	12.70	4.76	0.8	5.16	●	●	●	●	●		●	●	●	●	●	●	●	●	●	●			
SNGA 120412	SNGA 433	12.70	4.76	1.2	5.16	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●			
SNGA 120416	SNGA 434	12.70	4.76	1.6	5.16	●	●			●		●		●	●	●	●	●	●	●	●			
SNGA 120708	SNGA 452	12.70	7.94	0.8	5.16	●						●	●			●	●		●					
SNGA 120712	SNGA 453	12.70	7.94	1.2	5.16	●						●	●			●	●		●					
SNGA 120716	SNGA 454	12.70	7.94	1.6	5.16	●				●		●	●			●	●		●					
SNGA 150608	SNGA 542	15.87	6.35	0.8	6.35		●																	
SNGA 150612	SNGA 543	15.87	6.35	1.2	6.35	●	●																	
SNGA 150616	SNGA 544	15.87	6.35	1.6	6.35		●																	
SNGA 190612	SNGA 643	19.05	6.35	1.2	7.94	●																		
SNGA 190616	SNGA 644	19.05	6.35	1.6	7.94																			


SNMA



牌号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r	D																			
SNMA 120408	SNMA 432	12.70	4.76	0.8	5.16									●										
SNMA 120412	SNMA 433	12.70	4.76	1.2	5.16								●	●			●		●					
SNMA 120416	SNMA 434	12.70	4.76	1.6	5.16								●	●			●		●					
SNMA 150616	SNMA 544	15.87	6.35	1.6	6.35								●	●										

车削刀片 Turning Inserts


SNGN



牌号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r																				
SNGN 090304	SNGN 321	9.52	3.18	0.4		●	●																	
SNGN 090308	SNGN 322	9.52	3.18	0.8		●	●	●		●														
SNGN 090312	SNGN 323	9.52	3.18	1.2		●	●																	
SNGN 090404	SNGN 331	9.52	4.76	0.4																				
SNGN 090408	SNGN 332	9.52	4.76	0.8		●																		
SNGN 090412	SNGN 333	9.52	4.76	1.2																				
SNGN 120404	SNGN 431	12.70	4.76	0.4		●																		
SNGN 120408	SNGN 432	12.70	4.76	0.8		●	●	●	●	●		●	●	●	●	●	●	●	●	●	●			
SNGN 120412	SNGN 433	12.70	4.76	1.2		●	●	●	●	●		●	●	●	●	●	●	●	●	●	●			
SNGN 120416	SNGN 434	12.70	4.76	1.6		●				●		●	●	●	●	●	●	●	●	●	●			
SNGN 120420	SNGN 435	12.70	4.76	2.0		●																		
SNGN 120604	SNGN 441	12.70	6.35	0.4																				
SNGN 120608	SNGN 442	12.70	6.35	0.8		●																		
SNGN 120612	SNGN 443	12.70	6.35	1.2																				
SNGN 120616	SNGN 444	12.70	6.35	1.6		●																		
SNGN 120704	SNGN 451	12.70	7.94	0.4			●																	
SNGN 120708	SNGN 452	12.70	7.94	0.8		●	●	●	●	●		●	●	●	●	●	●	●	●	●	●			
SNGN 120712	SNGN 453	12.70	7.94	1.2		●	●	●	●	●		●	●	●	●	●	●	●	●	●	●			
SNGN 120716	SNGN 454	12.70	7.94	1.6		●	●	●	●	●		●	●	●	●	●	●	●	●	●	●			
SNGN 120720	SNGN 455	12.70	7.94	2.0		●	●	●	●	●		●	●	●	●	●	●	●	●	●	●			
SNGN 150404	SNGN 531	15.87	4.76	0.4			●																	
SNGN 150408	SNGN 532	15.87	4.76	0.8			●																	
SNGN 150412	SNGN 533	15.87	4.76	1.2		●																		
SNGN 150416	SNGN 534	15.87	4.76	1.6		●																		
SNGN 150708	SNGN 552	15.87	7.94	0.8		●																		
SNGN 150712	SNGN 553	15.87	7.94	1.2		●	●																	
SNGN 150716	SNGN 554	15.87	7.94	1.6		●																		
SNGN 190608	SNGN 642	19.05	6.35	0.8																				
SNGN 190612	SNGN 643	19.05	6.35	1.2		●									●	●		●	●	●	●			
SNGN 190616	SNGN 644	19.05	6.35	1.6		●									●	●		●	●	●	●			
SNGN 190712	SNGN 653	19.05	7.94	1.2		●																		
SNGN 190716	SNGN 654	19.05	7.94	1.6		●	●	●	●	●					●	●		●	●	●	●			
SNGN 190720	SNGN 655	19.05	7.94	2.0		●									●	●								
SNGN 250720	SNGN 854	25.40	7.94	2.0		●									●	●								
SNGN 250724	SNGN 856	25.40	7.94	2.4		●	●								●	●								
SNGN 250924	SNGN 866	25.40	9.52	2.4		●		●	●	●					●	●		●	●	●	●			

车削刀片
Turning Inserts


TNGN



牌 号		尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r																				
TNGN 110304	TNGN 221	6.35	3.18	0.4	●	●						●												
TNGN 110308	TNGN 222	6.35	3.18	0.8	●	●				●		●	●											
TNGN 160404	TNGN 331	9.52	4.76	0.4	●	●			●	●		●												
TNGN 160408	TNGN 332	9.52	4.76	0.8	●	●	●	●	●	●		●	●	●		●								
TNGN 160412	TNGN 333	9.52	4.76	1.2	●	●	●	●				●	●	●	●					●	●			
TNGN 160416	TNGN 334	9.52	4.76	1.6	●	●	●	●	●			●	●	●	●									
TNGN 160704	TNGN 351	9.52	7.94	0.4	●																			
TNGN 160708	TNGN 352	9.52	7.94	0.8	●	●			●				●											
TNGN 160712	TNGN 353	9.52	7.94	1.2	●	●				●		●	●											
TNGN 160716	TNGN 354	9.52	7.94	1.6	●	●						●												
TNGN 220404	TNGN 431	12.70	4.76	0.4	●																			
TNGN 220408	TNGN 432	12.70	4.76	0.8	●	●						●		●		●				●	●			
TNGN 220412	TNGN 433	12.70	4.76	1.2	●	●						●		●		●				●	●			
TNGN 220416	TNGN 434	12.70	4.76	1.6		●						●		●						●	●			
TNGN 220708	TNGN 452	12.70	7.94	0.8	●																			
TNGN 220712	TNGN 453	12.70	7.94	1.2		●																		
TNGN 220716	TNGN 454	12.70	7.94	1.6		●										●								
TNGN 270608	TNGN 542	15.87	6.35	0.8	●	●																		
TNGN 270612	TNGN 543	15.87	6.35	1.2	●	●																		
TNGN 270616	TNGN 544	15.87	6.35	1.6		●																		
TNGN 330924	TNGN 666	19.05	9.52	2.4		●																		
TNGN 440932	TNGN 868	25.40	9.52	3.2	●	●						●												


车削刀片
Turning Inserts

TCUN




牌号		尺寸 (mm)																						
ISO	ASA	d	t	r	DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
TCUN 160408	TCUN 332	9.52	4.76	0.8		●								●	●									
TCUN 160412	TCUN 333	9.52	4.76	1.2										●	●									
TCUN 160416	TCUN 334	9.52	4.76	1.6		●								●										




TPGN

[illegible]

TPUN




牌号		尺寸 (mm)			DT100	DT300	DT560	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN1000	DW400	DW800	CD DT	CCDW
ISO	ASA	d	t	r																		
TPUN 110308	TPUN 222	6.35	3.18	0.8										●								
TPUN 110312	TPUN 223	6.35	3.18	1.2										●								

VNGA[illegible]**VNGN**[illegible]

车削刀片 Turning Inserts



VNGX



牌号		尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r																				
VNGX 160708	VNGX 352	9.52	7.94	0.8		●				●				●										
VNGX 160712	VNGX 353	9.52	7.94	1.2		●				●				●	●									
VNGX 160716	VNGX 354	9.52	7.94	1.6										●										


车削刀片 Turning Inserts

WNGA



牌号		尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r																				
WNGA 080404	WNGA 431	12.70	4.76	0.4	5.16	●	●																	
WNGA 080408	WNGA 432	12.70	4.76	0.8	5.16	●	●					●	●	●	●	●	●	●	●	●	●			
WNGA 080412	WNGA 433	12.70	4.76	1.2	5.16	●	●					●	●	●	●	●	●	●	●	●	●			


WNGX



牌号		尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r																				
WNGX 080708	WNGX 452	12.70	7.94	0.8										●										
WNGX 080712	WNGX 453	12.70	7.94	1.2								●	●	●	●	●	●	●	●	●	●			
WNGX 080716	WNGX 454	12.70	7.94	1.6										●										

轧辊车削刀片 Roll Turning Inserts


CDH



牌号		尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	D																				
CDH 120600	CDH 22	12.70	6.35	3.18	●	●	●																	
CDH 120900	CDH 23	12.70	9.52	3.18	●																			
CDH 190900	CDH 33	19.05	9.52	6.35	●	●	●	●				●												
CDH 191200	CDH 34	19.05	12.70	6.35	●																			
CDH 251200	CDH 42	25.40	12.70	6.75	●	●	●			●														
CDH 251900	CDH 43	25.40	19.05	6.75	●					●														
CDH 320900	CDH 515	31.75	9.52	10.00	●	●				●		●	●											
CDH 321900	CDH 53	31.75	19.05	10.00	●	●	●	●		●		●	●											
CDH 381100		38.10	11.11	9.93	●																			

轧辊车削刀片 Roll Turning Inserts

F-Series




牌 号	尺 寸 (mm)						DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	l	w	t	D	h	α																				
F 13941	32.00	19.05	12.00	6.50	6.00	120°	●	●				●		●	●											
F 10537	44.50	25.40	14.20	6.50	7.00	120°	●	●				●		●	●											

F-Series




型号	尺寸 (mm)					DT100	DT300	DT500	DT900	DZ100	DZ200	DZ300	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	l	w	t	D																				
F 10537 V	44.00	26.00	15.00	5.00		●	●				●													

F-Series



型号	尺寸 (mm)						DT100	DT300	DT500	DT900	DD200	DZ200	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	l	w	t	D	h																				
F 10537 S	44.55	26.00	15.00	5.10	4.60	●	●					●													


F-Series



型号		尺寸 (mm)					DT100	DT300	DT500	DT900	DZ200	DZ200	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO		l	w	t	D	h																			
F 10537 VW		44.00	25.95	15.00	5.10	4.50	●	●			●														


轧辊车削刀片 Roll Turning Inserts

F-Series




型号	尺寸 (mm)					DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	l	w	t	D	h																				
F 431016 S	43.50	15.70	10.00	5.05	4.50	●	●				●														

F-Series



型号	尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	l	t	r	w																				
F 250723	25.00	7.94	1.20	23.00	●																			


F-Series



型号	尺寸 (mm)						DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	l	t	r	w	D	h																				
F 251425	25.00	14.40	2.40	25.40	9.17	10.00								●												
F251425 H65	25.00	14.40	2.40	25.40	6.50	10.00								●												


轧辊车削刀片 Roll Turning Inserts

LNJ



型号	尺寸 (mm)																						
ISO	l	w	t	r	DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN
LNJ 5464	25.40	15.87	9.52	1.6	●	●																	
LNJ 5568	31.75	15.87	9.52	3.2								●											
LNJ 6588	31.75	19.05	12.70	3.2	●	●	●	●		●		●	●										
LNJ 6688	38.10	19.05	12.70	3.2	●	●	●	●		●		●	●				●		●	●			
LNJ 6898	48.10	21.05	12.70	3.2								●											



SNGN3812R



型号	尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN
ISO	d	t	r	R																			
SNGN 3812R	38.10	12.70	0.4	114	●	●	●																



轧辊车削刀片 Roll Turning Inserts

RBGX



型号	尺寸 (mm)					DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
	ISO	d	t	T	a																				
RBGX 06T		6.00	5.00	3.00	3.00	●	●																		
RBGX 08T		8.00	6.50	4.00	4.00	●	●																		
RBGX 10T		10.00	9.00	6.00	6.00	●	●																		
RBGX 12T		12.00	9.00	6.00	6.00	●	●																		
RBGX 16T		16.00	13.00	8.00	8.00	●	●																		
RBGX 20T		20.00	15.00	10.00	10.00	●	●	●																	
RBGX 26T		26.00	15.00	10.00	14.00	●	●																		



RCGX



型号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	T	α																				
RCGX 060400	RCGX 102	6.35	4.76	4.57	120°	●	●											●			●	●			
RCGX 060600	RCGX 102	6.35	6.35	6.20	120°	●	●	●	●									●			●				
RCGX 060700	RCGX 102	6.35	7.94	7.70	120°	●	●	●	●				●					●			●				
RCGX 090700	RCGX 103	9.52	7.94	7.70	120°	●	●	●	●				●					●			●	●	●		
RCGX 120700	RCGX 104	12.70	7.94	7.70	120°	●	●	●	●				●					●			●	●	●		
RCGX 151000	RCGX 105	15.87	10.00	9.77	120°	●	●	●	●				●					●			●				
RCGX 191000	RCGX 106	19.05	10.00	9.77	120°	●	●	●	●				●					●			●				
RCGX 251200	RCGX 108	25.40	12.00	11.85	140°	●	●	●	●				●					●			●				


轧辊车削刀片 Roll Turning Inserts

RPGX



型号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN
ISO	ASA	d	t	T	α																			
RPGX 060400	RPGX 102	6.35	4.76	4.57	120°																			
RPGX 090700	RPGX 103	9.52	7.94	7.70	120°																			
RPGX 120700	RPGX 104	12.70	7.94	7.70	120°																			


RXGX



型号		尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN
ISO		d	t	a																			
RXGX 1207MO		12.00	7.94	6.90		●																	
RXGX 1608MO		16.00	8.00	9.50		●																	
RXGX 2508MO		25.00	8.00	18.20	●					●													


槽加工刀片 Grooving Inserts

SYBF




牌号	尺寸 (mm)					DT100	DT300	DT500	DT900	DD200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
	ISO	l	w	t	s	α																		
SYBF 3228	28.58	3.18	6.35	2.69	5.0°	•	•																	
SYBF 4828	28.58	4.78	6.35	3.66	5.0°	•	•																	
SYBF 5528	28.58	5.54	6.35	3.66	5.0°	•	•																	
SYBF 6428	28.58	6.35	8.56	5.13	7.0°	•	•																	
SYBF 7928	28.58	7.93	8.56	5.13	7.0°	•	•																	
SYBF 9528	28.58	9.53	8.56	6.99	7.0°	•	•																	

SYBF .. K



牌号	尺寸 (mm)					DT100	DT300	DT500	DT900	DD200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
	ISO	l	w	t	s	α																		
SYBF 5025K	25.00	5.00	6.50	4.60	12°									•	•									

SYBR



牌号	尺寸 (mm)					DT100	DT300	DT500	DT900	DD200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
	ISO	l	w	t	s	α																		
SYBR 3228	28.58	3.18	6.35	2.69	5.0°	•	•																	
SYBR 4828	28.58	4.78	6.35	3.66	5.0°	•	•																	
SYBR 5528	28.58	5.54	6.35	3.66	5.0°	•	•																	
SYBR 6428	28.58	6.35	8.56	5.13	7.0°	•	•																	
SYBR 7928	28.58	7.93	8.56	5.13	7.0°	•	•																	
SYBR 9528	28.58	9.53	8.56	6.99	7.0°	•	•																	


槽加工刀片 Grooving Inserts

SGF



牌号	尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
	ISO	l	w	t	r																		
SGF 4012	12.00	4.00	5.00	0.50	•	•			•				•										
SGF 5012	12.00	5.00	5.00	0.80	•	•							•										
SGF 6015	15.00	6.00	7.50	0.80	•	•			•														
SGF 7015	15.00	7.00	7.50	0.80	•	•			•														
SGF 8015	15.00	8.00	7.50	0.80	•	•			•														
SGF 1015	15.00	10.00	7.50	0.80	•	•			•														



SGR



牌号	尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
	ISO	l	w	t																		
SGR 4012	12.00	4.00	5.00	•	•			•				•										
SGR 5012	12.00	5.00	5.00	•	•							•										
SGR 6015	15.00	6.00	7.50	•	•			•														
SGR 7015	15.00	7.00	7.50	•	•			•														
SGR 8015	15.00	8.00	7.50	•	•			•														
SGR 1015	15.00	10.00	7.50	•	•			•														



槽加工刀片 Grooving Inserts

SSF



牌号 ISO	尺寸 (mm)																		
	l	w	t	r	DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000
SSF 4012	12.00	4.00	5.00	0.80	●	●				●									
SSF 5012	12.00	5.00	5.00	0.80	●	●													
SSF 6015	15.00	6.00	7.50	0.80	●	●				●									
SSF 7015	15.00	7.00	7.50	0.80	●	●													
SSF 8015	15.00	8.00	7.50	0.80	●	●													
SSF 1015	15.00	10.00	7.50	0.80	●	●													


SSR



牌号 ISO	尺寸 (mm)																		
	l	w	t		DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000
SSR 4012	12.00	4.00	5.00		●	●				●				●					
SSR 5012	12.00	5.00	5.00		●	●				●				●					
SSR 6015	15.00	6.00	7.50		●	●				●									
SSR 7015	15.00	7.00	7.50		●	●				●									
SSR 8015	15.00	8.00	7.50		●	●				●									
SSR 1015	15.00	10.00	7.50		●	●				●									

槽加工刀片 Grooving Inserts

WFC




牌号 ISO	尺寸 (mm)																		
	l	w	t	r	DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000
WFC 094050-A	12.70	2.388	4.75	0.40															
WFC 094050-B	12.70	2.388	4.75	0.80															
WFC 125050-A	12.70	3.175	4.75	0.40															
WFC 125050-B	12.70	3.175	4.75	0.80															
WFC 156050-A	12.70	3.962	4.75	0.40															
WFC 156050-B	12.70	3.962	4.75	0.80															
WFC 187050-A	12.70	4.750	4.75	0.40															
WFC 187050-B	12.70	4.750	4.75	0.80															
WFC 218075-A	19.05	5.537	6.35	0.40															
WFC 218075-B	19.05	5.537	6.35	0.80															
WFC 250075-A	19.05	6.350	6.35	0.40															
WFC 250075-B	19.05	6.350	6.35	0.80															
WFC 250075-C	19.05	6.350	6.35	1.20															
WFC 281075-A	19.05	7.137	6.35	0.40															
WFC 281075-B	19.05	7.137	6.35	0.80															
WFC 281075-C	19.05	7.137	6.35	1.20															
WFC 312100-A	25.40	7.925	8.56	0.40															
WFC 312100-B	25.40	7.925	8.56	0.80															
WFC 312100-C	25.40	7.925	8.56	1.20															
WFC 312100-D	25.40	7.925	8.56	1.60															
WFC 344100-A	25.40	8.738	8.56	0.40															
WFC 344100-B	25.40	8.738	8.56	0.80															
WFC 344100-C	25.40	8.738	8.56	1.20															
WFC 344100-D	25.40	8.738	8.56	1.60															
WFC 375100-A	25.40	9.525	8.56	0.40															
WFC 375100-B	25.40	9.525	8.56	0.80															
WFC 375100-C	25.40	9.525	8.56	1.20															
WFC 375100-D	25.40	9.525	8.56	1.60															

*The above inserts WFC Series are available only Whisker grade.

槽加工刀片 Grooving Inserts

WRC




牌号 ISO	尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
	l	w	t																				
WRC 094050	12.70	2.388	4.75																				
WRC 125050	12.70	3.175	4.75																				
WRC 156050	12.70	3.962	4.75																				
WRC 187050	12.70	4.750	4.75																				
WRC 218075	19.05	5.537	6.35																				
WRC 250075	19.05	6.350	6.35																				
WRC 281075	19.05	7.137	6.35																				
WRC 312100	25.40	7.925	8.56																				
WRC 344100	25.40	8.738	8.56																				
WRC 375100	25.40	9.525	8.56																				

*The above inserts WRC Series are available only Whisker grade.

槽加工刀片 Grooving Inserts

WFP




牌号	尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
	ISO	l	w	t																			
WFP 094050-A	12.70	2.388	4.75	0.40																			
WFP 094050-B	12.70	2.388	4.75	0.80																			
WFP 125050-A	12.70	3.175	4.75	0.40																			
WFP 125050-B	12.70	3.175	4.75	0.80																			
WFP 156050-A	12.70	3.962	4.75	0.40																			
WFP 156050-B	12.70	3.962	4.75	0.80																			
WFP 187050-A	12.70	4.750	4.75	0.40																			
WFP 187050-B	12.70	4.750	4.75	0.80																			
WFP 218075-A	19.05	5.537	6.35	0.40																			
WFP 218075-B	19.05	5.537	6.35	0.80																			
WFP 250075-A	19.05	6.350	6.35	0.40																			
WFP 250075-B	19.05	6.350	6.35	0.80																			
WFP 250075-C	19.05	6.350	6.35	1.20																			
WFP 281075-A	19.05	7.137	6.35	0.40																			
WFP 281075-B	19.05	7.137	6.35	0.80																			
WFP 281075-C	19.05	7.137	6.35	1.20																			
WFP 312100-A	25.40	7.925	8.56	0.40																			
WFP 312100-B	25.40	7.925	8.56	0.80																			
WFP 312100-C	25.40	7.925	8.56	1.20																			
WFP 312100-D	25.40	7.925	8.56	1.60																			
WFP 344100-A	25.40	8.738	8.56	0.40																			
WFP 344100-B	25.40	8.738	8.56	0.80																			
WFP 344100-C	25.40	8.738	8.56	1.20																			
WFP 344100-D	25.40	8.738	8.56	1.60																			
WFP 375100-A	25.40	9.525	8.56	0.40																			
WFP 375100-B	25.40	9.525	8.56	0.80																			
WFP 375100-C	25.40	9.525	8.56	1.20																			
WFP 375100-D	25.40	9.525	8.56	1.60																			

*The above inserts WFP Series are available only Whisker grade.

槽加工刀片 Grooving Inserts

WRP




牌号 ISO	尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
	l	w	t																					
WRP 094050	12.70	2.388	4.75																					
WRP 125050	12.70	3.175	4.75																					
WRP 156050	12.70	3.962	4.75																					
WRP 187050	12.70	4.750	4.75																					
WRP 218075	19.05	5.537	6.35																					
WRP 250075	19.05	6.350	6.35																					
WRP 281075	19.05	7.137	6.35																					
WRP 312100	25.40	7.925	8.56																					
WRP 344100	25.40	8.738	8.56																					
WRP 375100	25.40	9.525	8.56																					

*The above inserts WRP Series are available only Whisker grade.


槽加工刀片 Grooving Inserts

SRG



牌号 ISO	尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
	d	l	t	r																				
SRG 1510	9.896	15.875	6.35	0.8																				
SRG 1512	12.206	15.875	6.35	0.8																				
SRG 1513	12.580	15.875	6.35	0.8																				
SRG 1914	14.370	19.050	6.35	0.8																				
SRG 1915	15.506	19.050	6.35	0.8																				


SRGA



牌号 ISO	尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
	d	l	t	r																				
SRGA 2216	16.741	22.200	6.35	0.8																				
SRGA 2218	18.300	22.225	6.35	0.8																				
SRGA 2522	22.700	25.700	7.94	0.8																				
SRGA 2518	17.802	25.400	6.35	0.8																				
SRGA 3819	19.630	38.100	6.35	0.8																				


铣削刀片 Milling Inserts

HNEN



牌号	尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
	ISO	d	t	r																				
HNEN 090520		16.20	5.56	2.0									●	●										
HNEN 090530		16.20	5.56	3.0									●	●										
HNEN 0905 ANSN		15.87	5.64	0.8									●	●		●								


LNE



牌号	尺寸 (mm)					DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
	ISO	l	w	t	D	r																			
LNE 040904		15.87	9.52	4.76	4.41	0.4								●	●										
LNE 040908		15.87	9.52	4.76	4.41	0.8								●	●										
LNE 040912		15.87	9.52	4.76	4.41	1.2								●	●										


铣削刀片 Milling Inserts

OEGB




牌号	尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
	ISO	d	t	D	r																			
OEGB 070408		15.87	4.76	5.18	0.8								●	●										
OEGB 070416		15.87	4.76	5.18	1.6								●	●	●									

OEGB .. CR



牌 号	尺寸 (mm)					DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN
	ISO	d	t	D	r																			
OEGB 070408 0003 CR	15.87	4.76	5.18	0.80	10°									●	●									
OEGB 070416 0003 CR	15.87	4.76	5.18	1.60	10°									●	●									
OEGB 070516 0003 CR	15.87	5.56	5.18	1.60	10°									●	●									


OPEN



牌号	尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
	ISO	d	t	r	b																			
OPEN 050408 TR		13.97	4.76	0.80	2.10								●	●										
OPEN 050608 TR		13.97	6.35	0.80	2.10								●	●	●									


铣削刀片 Milling Insert

SNCN




牌号		尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	b																				
SNCN 1204 AN	SNCN 43 AN	12.70	4.76	2.50																				
SNCN 1204 ZN	SNCN 43 ZN	12.70	4.76	1.10																				

SNCN .. ENTN



牌 号		尺 寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	a	b																				
SNCN 1204 ENTN	SNCN 43 ENTN	12.70	4.76	1.40	1.00								●	●	●										
SNCN 1504 ENTN	SNCN 53 ENTN	15.87	4.76	1.40	1.00								●	●	●										


SNGN .. ING



牌 号		尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	b																				
SNGN 1204 ING	SNGN 43 ING	12.70	4.76	1.50									●	●										
SNGN 1904 ING	SNGN 63 ING	19.05	4.76	2.50									●	●										


铣削刀片 Milling Inserts

SDCN



牌 号		尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	b																				
SDCN 1203 AETN 12	SDCN 42 AETN 12	12.70	3.18	1.2																				
SDCN 1203 AETN	SDCN 42 AETN	12.70	3.18	2.0																				
SDCN 1504 AETN	SDCN 53 AETN	15.87	4.76	2.0																				

SDCN .. T



牌号		尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r																				
SDCN 120408 T20	SDCN 432 T20	12.70	4.76	0.8																				
SDCN 120412 T20	SDCN 433 T20	12.70	4.76	1.2																				


SDCW



牌号		尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	D																				
SDCW 1204 PDSR	SDCW 43 PDSR	12.70	4.76	4.40																				


铣削刀片 Milling Inserts

SEAN




牌号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	a	b																				
SEAN 1203 AFTN	SEAN 42 AFTN	12.70	3.18	0.50	1.80								●	●	●										
SEAN 1504 AFTN	SEAN 53 AFTN	12.70	4.76	0.70	2.00								●	●	●										

SEAN .. NW



牌号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	b	r																				
SEAN 1203 NWFTN	SEAN 42 NWFTN	12.70	3.18	2.40	0.4								●												
SEAN 1204 AFTNW25	SEAN 43 AFTNW25	12.70	4.76	2.50	1.2										●										


SEAN .. T



牌号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r																					
SEAN 120412 T25	SEAN 433 T25	12.70	4.76	1.2											●			●							
SEAN 120416 T25	SEAN 434 T25	12.70	4.76	1.6											●			●							

铣削刀片 Milling Inserts

SPCN .. T




牌号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r																					
SPCN 120412 TT15	SPCN 433 TT15	12.70	4.76	1.2											●										
SPCN 120416 TT15	SPCN 434 TT15	12.70	4.76	1.6											●										

SPCW



牌号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	D																					
SPCW 10T3ZX	SPCW 10T3ZX	10.00	3.97	3.52											●										


SPEN



牌号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	a	b																				
SPEN 1206 APTN	SPEN 44 APTN	12.70	6.35	1.20	1.20										●	●									


铣削刀片 Milling Inserts

SPHX




牌 号		尺寸 (mm)							DT100	DT300	DT500	DT900	DD200	DZ200	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO		d	d ₁	t	D	D ₁	a	b																			
SPHX 1205NR 480T		11.67	11.33	5.50	5.10	8.41	45	8.0									●		●								
SPHX 1205NL 480T		11.67	11.33	5.50	5.10	8.41	45	8.0																			
SPHX 1205ER 855T		12.09	11.33	5.50	5.10	8.41	35	5.50									●		●								
SPHX 1205EL 855T		12.09	11.33	5.50	5.10	8.41	35	5.50									●										
SPHX 15T6NR 880T		14.58	14.33	6.60	6.10	10.18	45	8.80									●		●								
SPHX 15T6ER 865T		15.50	14.33	6.60	6.10	10.18	35	6.50									●		●								

SPKN



牌 号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	a	b																			
SPKN 1203 EDTR	SPKN 42 EDTR	12.70	3.18	1.40	1.00																			
SPKN 1504 EDTR	SPKN 53 EDTR	15.87	4.76	1.40	1.00																			


SPKN .. SP



牌 号		尺 寸 (mm)																						
ISO	ASA	d	t	a	b	DT100	DT300	DT500	DT900	DD200	DZ200	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
SPKN 1204SP EDTR	SPKN 43SP EDTR	12.70	4.76	1.10	1.30																			


铣削刀片 Milling Inserts

TNCN




牌 号		尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	a																			
TNCN 2204 ANT	TNCN 43 ANT	12.70	4.76	2.60								●	●										

TEKN



牌 号		尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	a																				
TEKN 1603 PFTR	TEKN 32 PFTR	9.52	3.18	1.40									●	●										
TEKN 2204 PFTR	TEKN 43 PFTR	12.70	4.76	2.10									●	●										


TPKN



牌 号		尺 寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	a	b																				
TPKN 1603 PDTR	TPKN 32 PDTR	9.52	3.18	1.20	1.00									●	●										
TPKN 2204 PDTR	TPKN 43 PDTR	12.70	4.76	1.40	0.70									●	●										


修光刃刀片 Wiper Inserts

CNGN .. AZ




牌号		尺寸 (mm)																	
ISO	ASA	d	t	r	a	DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950
CNGN 1204 AZ	CNGN 43 AZ	12.70	4.76	1.0	1.60	●									●				

修光刃刀片的优点




修光刃刀片 Wiper Inserts

SNCN .. ZTZ




牌号		尺寸 (mm)																	
ISO	ASA	d	t	a	b	DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950
SNCN 0904 ZTZ	SNCN 33 ZTZ	9.52	4.76	1.30	1.10										●	●			
SNCN 1204 ZTZ	SNCN 43 ZTZ	12.70	4.76	3.25	1.10	●									●	●			

SNCN .. GZ



牌号		尺寸 (mm)																	
ISO	ASA	d	t	a	b	DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950
SNCN 0904 GZ	SNCN 33 GZ	9.52	4.76	0.8	1.00										●				


SNCN .. KZ



牌号		尺寸 (mm)																	
ISO	ASA	d	t	a	b	DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950
SNCN 1204 KZ	SNCN 43 KZ	12.70	4.76	1.2	1.80										●				


修光刃刀片 Wiper Inserts

SCGN .. WZ




牌号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	a	b																				
SCGN 0904 WZ	SCGN 33 WZ	9.52	4.76	0.8	1.60										●										
SCGN 1204 WZ	SCGN 43 WZ	12.70	4.76	0.8	1.60										●										

SCGN .. XZ



牌号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	a	b																				
SCGN 0904 XZ	SCGN 33 XZ	9.52	4.76	0.8	1.20										●										
SCGN 1204 XZ	SCGN 43 XZ	12.70	4.76	0.8	1.20										●										


SCGN .. ZZ



牌号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	a	b																				
SCGN 0904 ZZ	SCGN 33 ZZ	9.52	4.76	0.8	1.00										●										
SCGN 1204 ZZ	SCGN 43 ZZ	12.70	4.76	0.8	1.00										●										


修光刃刀片 Wiper Inserts

SCGN .. MZ



牌号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	a	b																				
SCGN 0904 MZ	SCGN 33 MZ	9.52	4.76	0.8	1.80										●										
SCGN 1204 MZ	SCGN 43 MZ	12.70	4.76	0.8	1.80										●										


SCGN .. ZZM



牌号		尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	a	b	R																			
SCGN 0904 ZZM	SCGN 33 ZZM	9.52	4.76	1.23	5*	0.8														●					


非标刀片 Non-standard Inserts

SVW



牌号	尺寸 (mm)						DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	l	a	d	t	w																					
SVW 38260	26.00	38°	11.5	7.94	2.23							●														
SVW 38320	32.00	38°	14.5	7.94	3.22							●														
SVW 34400	40.00	34°	18.5	7.94	5.07							●														


GVGN



牌号	尺寸 (mm)						DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	l	a	d	t	w																					
GVGN 38320	32.00	38°	13.46	7.94	3.22							●														
GVGN 38335	33.50	38°	13.28	8.00	3.06							●														
GVGN 36340	34.00	36°	13.59	7.94	3.25							●														
GVGN 38360	36.00	38°	17.38	7.94	5.98							●														
GVGN 34360	36.00	34°	17.42	7.94	7.22							●														


非标刀片 Non-standard Inserts

SZT 5810



牌号	尺寸 (mm)				DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	d	l	t	r																				
SZT 581004	14.70	10.00	7.94	0.4	●	●																		
SZT 581008	14.70	10.00	7.94	0.8	●	●																		
SZT 581012	14.70	10.00	7.94	1.2	●	●																		


SNMX



牌号	尺寸 (mm)			DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	d	t	R																				
SNMX 121007	12.70	10.00	7.0						●														
SNMX 121009	12.70	10.00	9.0						●														
SNMX 121012	12.70	10.00	12.0						●														
SNMX 121015	12.70	10.00	15.0						●														
SNMX 121020	12.70	10.00	20.0						●														
SNMX 121025	12.70	10.00	25.0						●														
SNMX 121030	12.70	10.00	30.0						●														
SNMX 121040	12.70	10.00	40.0						●														
SNMX 121050	12.70	10.00	50.0						●														


非标刀片 Non-standard Inserts

SNGF



牌号		尺寸 (mm)					DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO	ASA	d	t	r																						
SNGF 120412	SNGF 433	12.70	4.76	1.2																						


INGN



牌号		尺寸 (mm)					DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN25	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
ISO		d	t	w	R ₁	R ₂																				
INGN 160435 F303		9.52	4.76	3.56	0.5	0.3																				
INGN 160435 F304		9.52	4.76	3.56	0.5	0.4																				
INGN 220435 F403		12.70	4.76	3.56	0.5	0.3																				
INGN 220435 F404		12.70	4.76	3.56	0.5	0.4																				

非标刀片 Non-standard Inserts

ENDMILL (FINISHED)



牌号	Flute	Mill Diameter x Corner R	Length of Cut	Effective Length	Neck Diameter	Overall Length	Shank Diameter	DN1000	DW800
	F	ø D ₁ xR	L ₁	L ₂	ø d ₂	L	ø D		
SYC 6040 R0.5	4	ø6 X R 0.5	4.5	12	5.8	60	ø6		
SYC 8040 R1.0	4	ø8 X R 1.0	6	16	7.7	60	ø8		
SYC 10040 R1.25	4	ø10 X R 1.25	7.5	20	9.7	65	ø10		
SYC 12040 R1.5	4	ø12 X R 1.5	9	24	11.7	70	ø12		
SYC 6060 R0.5	6	ø6 X R 0.5	4.5	12	5.8	60	ø6		
SYC 8060 R1.0	6	ø8 X R 1.0	6	16	7.7	60	ø8		
SYC 10060 R1.25	6	ø10 X R 1.25	7.5	20	9.7	65	ø10		
SYC 12060 R1.5	6	ø12 X R 1.5	9	24	11.7	70	ø12		

非标刀片

Non-standard Inserts

ENDMILL (BLANK)



牌号	尺寸 (mm)		DT100	DT300	DT500	DT900	DD200	DZ200	DZ300	DN26	DN300	DN400	DN500	DN600	DN800	DN950	DN1000	DW400	DW800	CD DT	CD DN	CD DW
	D	L																				
ROD 060-600S	6	60																				
ROD 080-600S	8	60																				
ROD 100-650S	10	65																				
ROD 100-720S	10	72																				
ROD 120-700S	12	70																				
ROD 140-850S	14	85																				
ROD 160-900S	16	90																				
ROD 180-1000S	18	100																				
ROD 200-1050S	20	105																				

* Remarks : Available upon customer request